<u> A03E34</u>

- 0.3 RM
- Very good standability (2)
- Rps3a gene for phytophthora & very good field tolerance (4)
- Average IDC (4) and white mold (4)
- Excellent performance in low yield, stressful environments
- Good choice for good and heavy soils with IDC history
- Roundup/Enlist/Liberty trait

A06E33



- 0.6 RM
- Very good standability (4)
- Rps3a gene for phytophthora & field tolerance (4)
- SCN (R3)
- Average IDC (4)
- Average White Mold (5)
- BSR (3) & SDS (5)
- Good choice for early planting
- Good choice for good to heavy soils
- Roundup/Enlist/Liberty Trait

A09E33

- 0.9 RM
- Medium height plant, standability (5)
- Rps3a gene for phytophthora & field tolerance (4)
- SCN (Peking)
- Good IDC (4)
- BSR (3) & SDS (5)
- Below average White Mold (6)
- Adapted for a wide range of soil types
- Avoid fields with white mold history
- Peking to help manage cyst nematodes
- Roundup/Enlist/Liberty Trait

A10E35



- 1.0 RM
- Medium-tall height with good standability (3)
- Seg1c gene for Phytophthora
- Phytophthora field tolerance (4)
- Above Average IDC (3) (NDSU 2.4)
- Good option for low yield environments
- No score for WM or SDS yet
- SCN R3

A12E33

- 1.2 RM
- Medium tall plant height with good standability (4)
- Rps1c gene for phytophthora & very good field tolerance (4)
- SCN (R3)
- Good IDC (4)
- SDS (4), BSR (6)
- Below average White Mold (6)
- Adapted for a wide range of soil types
- Good choice for early planting
- Good choice on tough acre
- Avoid fields with white mold history & BSR
- Roundup/Enlist/Liberty Trait

<u> A13E35</u>



- 1.3 RM
- Medium-tall with good standability (4)
- Rps1c/3a gene for Phytophthora & very good field tolerance (4)
- Above Average IDC (4) (NDSU 2.5)
- White Mold (5), SDS (5)
- Good agronomic package
- Good charcoal rot tolerance
- SCN (R3)

A14E35



- 1.4 RM
- Medium height with good standability (4)
- Rps3a gene for Phytophthora & excellent field tolerance (3)
- Above Average IDC (4) (NDSU 2.5)
- White Mold (5), SDS (5)
- Can be placed in poorly drained soils
- Performed well across environments
- Excelled in low yield environments
- SCN (R3)

<u> A15E33</u>

- 1.5 RM
- Medium height plant with very good standability (3)
- Rps3a gene for phytophthora & excellent field tolerance (3)
- SCN (R3)
- Below average IDC (5)
- Average White Mold (5)
- Very good BSR (3) & SDS (4)
- Adapted for a wide range of soil types
- Good choice for narrow rows & Continuous soybeans
- Very good choice on heavy & poorly drained soils
- Roundup/Enlist/Liberty Trait

<u> A15E35</u>



- 1.5 RM
- Medium height with good standability (4)
- Rps1c/3a gene for Phytophthora
- Excellent Phytophthora field tolerance (3)
- Above Average IDC (4)
- SDS (5)
- IDC not quite as good as A14E35
- Peking source resistance for SCN
- Broad acre fit

A16E34



- 1.6 RM
- Medium with excellent standability (2)
- Rps1k gene for phytophthora with very good field tolerance (4)
- Average IDC (4)
- Excellent white mold (3)
- Average SDS tolerance (5)
- Good choice for acres with white mold history
- Good choice for narrow rows
- Very good choice for heavy and poorly drained soils
- Roundup/Enlist/Liberty trait

A17E33

- 1.7 RM
- Medium height plant with very good standability (3)
- No gene for phytophthora & field tolerance (5)
- SCN (R3)
- Below average IDC (5)
- Above average White Mold (4)
- BSR (3) & SDS (4)
- Avoid heavy & poorly drained soils
- Good choice for narrow rows
- Good choice for early planting
- Roundup/Enlist/Liberty Trait

<u> A18E35</u>



- 1.8 RM
- Medium-tall with good standability (3)
- Rps1k gene for Phytophthora with good field tolerance (4)
- Average IDC (4) (NDSU 2.7)
- Solid white mold (4)
- Above average SDS tolerance (4)
- Excels in high yield environments
- Peking source resistance for SCN
- Well-rounded agronomic package

A19E33

- 1.9 RM
- Medium tall height plant, standability (5)
- Rps1k gene for phytophthora & field tolerance (4)
- SCN (R3)
- Below average IDC (5)
- Average White Mold (5)
- BSR (6) & SDS (4)
- Adapted for a wide range of soil types
- Avoid Fields with history of IDC
- Manage standability with lower pops
- Roundup/Enlist/Liberty Trait

A20E35



- 2.0 RM
- Medium-tall with good standability (4)
- Rps3a gene for Phytophthora with good field tolerance (4)
- Average IDC (4) and White Mold (5)
- Above average SDS tolerance (4)
- Broad acre fit with strong defensive traits
- Peking source resistance for SCN
- Top performer in 2023 yield data

<u>A21E33</u>

- 2.1 RM
- Medium tall height plant, standability (5)
- Rps1c gene for phytophthora & field tolerance (5)
- SCN (Peking)
- Below average IDC (6)
- Below average White Mold (6)
- BSR (6) & SDS (4)
- Offensive fit with need for agronomic management
- Adapted for a wide range of soil types
- Avoid fields with history of IDC & White mold
- Peking to help manage cyst nematodes
- Roundup/Enlist/Liberty Trait

A21E34



- 2.1 RM
- Medium tall with very good standability (4)
- Rps1a/3a gene for phytophthora with very good field tolerance (4)
- Excellent IDC tolerance (3)
- Very good white mold (4)
- Very good BSR (3) and average SDS (5)
- Strong agronomic package for wide range of acres
- Good choice for narrow rows and continuous soybeans
- Very good choice for heavy and poorly drained soils
- Roundup/Enlist/Liberty trait

<u>A23E33</u>

- 2.3RM
- Medium height plant, good standability (4)
- Rps1c gene for phytophthora & very good field tolerance (4)
- SCN (R3)
- Below average IDC (5)
- Average White Mold (5)
- BSR (6) & SDS (5)
- Adapted for a wide range of soil types
- Good choice for early planting
- Roundup/Enlist/Liberty Trait